



Bendix Air Dryers

PuraGuard is an oil coalescing filter, designed to remove oil and prevent it from entering today's sensitive electronic systems.

[Bendix Manufacturer's Website](#)

[Supplementary Link](#)



Oil removal before the desiccant

Patented purge valve

3-Step treatment

Oil coalescing, prevents oil from entering the system up to 200% more than others on market

Up to 3 years before replacement, others are 2 years

Lowest cost per mile

Top Movers - Bendix Air Treatment

Material No	Material Description
BW 5005037	MAINTENANCE KIT-AD-9 HARD SEAT PURGE VLV
BW K022105	VALVE KIT, PURGE
BW 800202	AIR DRYER BW AD9
BW 800405	AIR DRYER PURGE VALVE
BW 109494	AD - IP DEL CK VALVE
BW R107794	CART KIT
BW R5004341	AD - 9 PURGE KIT
BW R109685	AIR DRYER ASM
BW 284795N	DRAIN VALVE
BW R109493	AD - IP DESIK CART

General Product Information

The Bendix® oil coalescing filter provides more than 200 times more life than our leading competitor. One feature that separates the Bendix technology from our competition is the placement of the oil coalescing filter. It comes before the desiccant, ensuring the removal of oil and oil aerosols before they get to that important moisture-removing desiccant.



Bendix Aftermarket Warranty

(http://www.bendix.com/en/servicessupport/warranty/warranty_2.jsp)

Last updated: Monday, 07 February 2022 07:24 PM

[^Back to Top](#)

Copyright © Daimler Truck North America LLC. [Privacy Statement, Legal Notices and Terms \(https://daimler-trucksnorthamerica.com/privacy-policy\)](https://daimler-trucksnorthamerica.com/privacy-policy).

All rights reserved. Daimler Truck North America LLC is a [Daimler \(http://www.daimler.com/\)](http://www.daimler.com/) company.

