

# Alliance OAT Extended Life Coolant



Nitrite Free Extended Life Coolant.

**Alliance Cross Reference Chart** 

# **Product Highlights**

#### **Easy Color Recognition**

Bottle caps and coolant colors match for easy identification of what a customer currently uses, and what they need next.

#### Quality

All Alliance coolants meet or exceed OEM standards including those set by:

- DTNA
- Paccar

- Volvo/Mack
- Navistar
- · and many more

### Coverage

Alliance coolants offer coverage on engine platforms from manufactures including

- Detroit
- Cummins
- CAT
- · and many more

# **Top Movers - Alliance Brand Coolant**

Material No	Material Description
OWI AMAB51	ALLIANCE OAT ELC 50/50 55GAL DRUM
OWI AMAB53	ALLIANCE OAT ELC 50/50 6/1 GAL CASE
OWI ALAW51	ALLIANCE PRCHRG 50/50 55 GAL DRUM
OWI ALAWS3	CLNT PRCHRD SPANISH 50/50 6/1 GAL CASE
OWI FCA0B1	COOLANT: FLEET CHRG PRECHARGE 55 GAL DR
OWI ALA003	ALLIANCE PRCHRG 6/1 GAL CASE
OWI AMA0B1	ALLIANCE OAT ELC FULL STRNGTH 55GAL DRUM
OWI FCA053	FLEET CHARGE PRECHARGED 6/1 GAL CASE
OWI FCA0B3	COOLANT: FLEET CHRG PRECHARGE 1 GAL
OWI FXATK4	OAT CLNT TEST STRIPS 25/BTL
OWI FXATK2 01	ELC MAINTENANCE KIT 1 PER CASE

#### **General Product Information**

Alliance Extended Life coolants are different – specifically formulated to not just meet, but to exceed the performance requirements of your

heavy-duty engine. Our coolants provide reliable protection in even the most extreme heat and freezing cold conditions.

#### **Alliance OAT Extended Life Coolant**

Alliance OAT Extended Life Coolant is a NITRITE-FREE, patented, non-silicate, non-phosphate formula that eliminates inhibitor dropout and scale problems. Alliance OAT Extended Life Coolant keeps the cooling system running cooler and components lasting longer while providing complete protection against corrosion, erosion and cavitation for 1,000,000 miles/20,000 hours of cooling system protection.

#### Alliance Fully Formulated SCA Pre-Charged Coolant

Alliance Fully Formulated SCA Pre-Charged Heavy Duty Diesel Engine Coolant is pre-charged with supplemental coolant additives in a Pink Conventional low silicate, non-phosphate formula that helps prevent inhibitor dropout, scale deposits, and gel problems frequently associated with diesel engine cooling systems for 2 years/25,000 miles.

#### **Alliance Green Coolant**

Alliance Green Coolant is a Conventional low silicate Automotive formula that requires the addition of Supplemental Coolant Additives to be used in Heavy Duty Diesel applications.

## **Warranty Information**

1 year, unlimited mileage.

Last updated: Monday, 28 July 2025 07:05 PM

**∧**Back to Top

Copyright © Daimler Truck North America LLC. <u>Privacy Statement, Legal Notices and Terms</u>
(<a href="https://northamerica.daimlertruck.com/privacy-policy">https://northamerica.daimlertruck.com/privacy-policy</a>). <u>Privacy Settings</u>
All rights reserved. Daimler Truck North America LLC is a Daimler company.